

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S75	4	717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object)) (version with (api or call or method or function)) ((marshal\$4 or proxy) near6 (instance or object or class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:58
S74	15	717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object)) (version with (api or call or method or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:57
S73	56	717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:57
S72	8	717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object)) ((marshal\$4 or proxy or common or generic) near6 (instance or object)) (invo\$8 near4 (handler or instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:56
S71	11	717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object)) ((marshal\$4 or proxy or common or generic) near6 (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:34
S70	25	717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/27 06:31
S69	9	719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object)) (version\$4 near8 specific) ((name or formal) near8 parameter) (invo\$9 near6 (handler or instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:46
S68	9	719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object)) (version\$4 near8 specific) ((name or formal) near8 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:45
S67	18	719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object)) (version\$4 near8 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:44
S66	3	719/330.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:17
S65	4	719/330.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:17

EAST Search History

S63	1	719/332.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:17
S62	1	719/332.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:16
S64	3	719/330.ccls. ((call or method or function) near8 version\$4 near8 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:15
S60	0	719/332.ccls. ((call or method or function) near8 version\$4 near8 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:15
S61	5	719/332.ccls. (version\$4 near8 specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/26 08:10
S59	5	((invocation near4 handler near4 (instance or object)) ((marshal\$4 or proxy) near3 instance) ((interface or api) near9 (instance or object or version\$4)) ((version\$4 or specific) near9 (interface or api)) ((method or call or function) near9 (version\$4 or map\$4 or specific)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 13:16
S58	325	((invocation near4 (handler or instance or object)) ((marshal\$4 or proxy) near3 (instance or object)) ((interface or api) with (instance or object or version\$4)) ((version\$4 or specific) with (interface or api)) ((method or call or function) with (version\$4 or map\$4 or specific)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 13:14
S57	354	((invocation near4 (handler or instance or object)) ((marshal\$4 or proxy) near3 (instance or object)) ((interface or api) with (instance or object or version\$4)) ((version\$4 or specific) with (interface or api)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 12:49
S56	20	((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function)) ((interface or api) near8 (map\$4 or transform\$5 or convert\$4)) (interface same object) (interface.clm. or api.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 12:47
S55	30	((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function)) ((interface or api) near8 (map\$4 or transform\$5 or convert\$4)) (interface same object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 12:34
S52	47	((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 12:30

EAST Search History

S51	177	((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 12:29
S50	62	(specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance)) ((translat\$4 or converte\$3 or converti\$3 or match\$4 or map\$4 or discover\$4) with (call or method or function or api) with (specific or generic or common))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 11:39
S49	155	(specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance)) ((translat\$4 or converte\$3 or converti\$3 or match\$4 or map\$4 or discover\$4) with (call or method or function or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 11:38
S48	257	(specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 11:36
S47	5856	(specific with (version\$4 or release) with (call or method or function or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 11:35
S46	35	interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) ((map\$4 or translat\$4 or converte\$3 or converti\$3) with (generic or common or specific) with (api or call or method or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:17
S45	53	interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) ((map\$4 or translat\$4 or converte\$3 or converti\$3) with (generic or common or specific))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:17
S44	49	interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) (call or function) (san or (storage adj area) or adapter or switch or hba)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:15
S43	56	interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) (call or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:08
S42	56	interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:07
S41	329	interface (version\$4 near8 (specific or generic)) (proxy near4 (instance or object or api or call or method or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:06

EAST Search History

S40	23	((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or function or api)) @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 09:04
S39	38	((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or function or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:08
S38	31	((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:08
S37	81	((storage adj3 network) or san) same (adapter or hba or driver) same api) (specific or version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:07
S36	75	((storage adj3 network) or san) same (adapter or hba or driver) same api) specific	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:07
S35	97	((storage adj3 network) or san) same (adapter or hba or driver) same api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:07
S34	4846	((storage adj3 network) or san) same (adapter or hba or api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:06
S33	11	((storage adj3 network) or san) with (bus or adapter or hba or api) ((version\$4 with (call or method)) same api) ((call or method or version or api) with specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:11
S32	160	((storage adj3 network) or san) with (bus or adapter or hba or api) (version\$4 with (call or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:10
S30	13	((storage adj3 network) or san) same (bus or adapter or hba) same api) version\$4 @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:08
S29	21	((storage adj3 network) or san) same (bus or adapter or hba) same api) version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:06

EAST Search History

S28	53	((storage adj3 network) or san) same (bus or adapter or hba) same api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:06
S27	967	((storage adj3 network) or san) same (bus or adapter or hba) api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:06
S26	30085	(storage adj3 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:58
S25	38	(api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba)) ((generic or common) same api) @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:58
S24	67	(api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba)) ((generic or common) same api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:46
S23	138	(api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:46
S22	22	((storage or bus or adapter) with (api) with (common or generic)) ((version or specific) near8 (call or method)) (san or hba)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:44
S21	83	((storage or bus or adapter) with (api) with (common or generic)) ((version or specific) near8 (call or method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:26
S20	241	((storage or bus or adapter) with (api) with (common or generic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:25
S19	11	((exact or correct or specific or special or compatible) near4 (method or call or version\$4)) (interface with (object or instance)) (proxy near3 (instance or object)) (invocation near3 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call)) (class near6 proxy) (class near6 (invocation or hand\$4)) (invocation same (object or instance) same version\$4 same (method or call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:38
S16	67	((exact or correct or specific or special or compatible) near4 (method or call or version\$4)) (interface with (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class near6 proxy) (class near6 (invocation or hand\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:35

EAST Search History

S15	70	((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class with proxy) (class with (invocation or hand\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:28
S14	91	((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class with proxy or invocation or hand\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:27
S13	103	((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:27
S12	201	((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:25
S11	6	"6415435" ((exact or correct or specific or special or compatible) near4 (method or call or version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:23
S10	9	"6415435"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:19
S9	3	"6877163"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:13
S8	130	(version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4) (class same object) (current near6 version\$4) ((method or call) near6 (specific or special or correspond\$4 or associat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:12
S7	158	(version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4) (class same object) (current near6 version\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:08
S6	394	(version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:07
S5	1250	(version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 09:06

EAST Search History

S4	35	((application adj2 interface) or api) near8 version\$6) (version with specific\$4 with (method or call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 15:21
S3	26	((application adj2 interface) or api) near8 version\$6) (version with specific with (method or call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 15:21
S1	1	10/682012	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 15:16